



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : A61M 5/315	A1	(11) International Publication Number: WO 00/59562 (43) International Publication Date: 12 October 2000 (12.10.00)
(21) International Application Number: PCT/IB00/00608 (22) International Filing Date: 31 March 2000 (31.03.00) (30) Priority Data: 11/96443 2 April 1999 (02.04.99) JP (71) Applicant (for all designated States except US): SUMITOMO PHARMACEUTICALS, K.K. [JP/JP]; 2-8 Doshomachi 2-chome, Chuo-ku, Osaka 541-8510 (JP). (72) Inventors; and (75) Inventors/Applicants (for US only): MORITA, Shigetoshi [JP/JP]; Kouyou-cho Naka 2-Chome, 1-Ban 214-1322, Higashinada-ku, Koube City 658-0032 (JP). TANAKA, Katsumi [JP/JP]; Tamagawa 1-Chome 9-1 #110, Takatsuki City, Osaka-ku 569-0857 (JP). YOSHIMOTO, Atsushi [JP/JP]; Hukui-cho 12-18, Takarazuka City, Hyougo Prefc. 665-0046 (JP). (74) Agent: SONODA, Yoshitaka; Sonoda & Kobayashi, 4F/W1, Time-24 Building, 2-45 Aomi, Koto-ku, Tokyo 135-8073 (JP).		(81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: STORAGE CONTAINER FOR WEAKLY ACIDIC SOLUTION FORMULATION CONTAINING HUMAN GROWTH HORMONE, INJECTION CARTRIDGE THEREFOR AND STORAGE METHOD THEREFOR		
(57) Abstract		
<p>The invention has the purpose of offering a storage container wherein flocculation and nebulation of hGH does not occur during storage of an hGH solution. A rubber stopper is formed of rubber such that when one such rubber stopper is immersed in 1ml of a buffer solution having a pH of approximately 5.5 to 6.5 and containing a surfactant, stored while shaking for one week at a temperature of 25 °C, then the metal ion elution rate in the buffer solution is measured using atomic absorption spectrophotometry, the elution rate of polyvalent metal ions is 50 ppm or less.</p>		
		